

QUOTATION

Life Line

SIDDONS FIRE APPARATUS  
 PAT SIDDONS  
 Quote For:

SIDDONS FIRE APPARATUS  
 C4500 DEALER DEMO UNIT  
 12717 BELTEX DRIVE  
 MANOR, TX  
 78653

**Exp. Date:**        / /  
**Quote No:**        01331-                      **Job/Order No:**    248308H  
**BODY:**             HIGH C                      171" HIGHLINER

06/30/2008

Page 1

PART NO	S	DESCRIPTION	QTY
		MASTER PARTS DISC REVISION DATE (04-01-08)	1
00-00-0500	<	LIFE LINE WARRANTY Life Line Non-Prorated Warranties Include: Lifetime Modular Body Warranty 15-Year Limited Cabinet Warranty 5-Year/60,000 Mile Product Conversion Warranty 6-Year/60,000 Mile Electrical Warranty 3-Year Dupont Paint Warranty	1
00-00-0700	<	>>>SHOP COPY DATE - FACTORY USE ONLY<<< Date Order Placed By Dealer: 04-04-08 By Dave Cole Draft Work Order Process Date: 04-04-08 1st Dealer Draft Date: 04-04-08 Final Dealer Draft Date: 04-16-08 Sign-Off Date: 04-21-08 With Revisions Parts/Drafting/Paint: 04-21-08 Shop Release Date: 04-23-08	1
00-00-AA00	S <	Sales Rep: Pat Siddons 1-713-202-1118 Siddons Fire Apparatus.	1
00-00-FL00		Fill Unit With Fuel For Delivery (Charge To Dealer Account)	1
00-00-PU00	S	Specify Previous Unit Number: #235407H	1
00-00-W200		Life Line Work Order Contact Person - Jeff Mehmen	1

PART NO	S	DESCRIPTION	QTY
		*** BODY **** STYLE ***	1
00-03-0000		> 171" x 96" HIGHLINER C4500 CUTAWAY BODY W/72" Headroom	1
		*** CHASSIS ***	1
10-00-0100	S	Chassis VIN Number: 1GBE4V19X8F410791	1
10-00-9600	S	< > 2008 C4500 Chevrolet Cutaway Chassis 16,500 GVWR Package. 6.6L Duramax Turbo Diesel Engine (300 HP). 6-Speed Allison 1000 EVS Automatic Transmission. YF2 Ambulance Package. Monroe Tru-Ride Rear Air Ride. Monroe Installed Front Sway Bar. Monroe Left Side Exhaust Modification. Includes Polished Aluminum Wheels (4).	1
10-01-3200		< > Medium Duty Chassis Upgrades For Ambulance Conversion Includes Life Line Installed Second AC Compressor. Include 12vdc Condenser. See Option #70-01-55.  Special Note: The AC Compressor And Bracket Come With The Manufacturer 12 Month-12,000 Mile Warranty Only.	1
10-01-3400		< **FACTORY USE ONLY** Spare Chassis Keys And Owner's Manual Present.	1
10-02-5000		Low Voltage Throttle Manager	1
10-02-5600		400,000 CP Optronics Hand Held Cab Spot Light	1
10-03-0000		< Large Custom Floor Console Ship Loose The O.E.M. Console. (See Drawings).	1
10-03-8200	S	< Add Auto Dump Feature To Rear Monroe Air Ride System Wire Circuit To Auto Dump From The Secondary Rear Door Switch. Includes ON/OFF Safety Switch On Inner Primary Rear Door Panel. Includes Cab Rear Air Ride Dumped Warning Light.	1
10-03-8700		O.E.M. Batteries Under Passenger's Side Door (C4500 ONLY)	1
10-04-3500		Owners Manual (1 Included With Unit)	1
		*** MODULAR BODY TYPE III ***	1
15-01-1500		< KKK Package Complete Includes Electric Solenoid Oxygen, Oxygen Minder, Oxygen Regulator, Suction Rinse Bottle, 2-5# Fire Extinguishers, Oxygen Wrench, Oxygen Flowmeter, 115 Volt Outlet Above Squad Bench, 2-Button Style IV Holders.	1

PART NO	S	DESCRIPTION	QTY
		Mount The Oxygen Minder In The Streetside Action Area.	
15-01-3500		Standard 72" Finished Headroom	1
15-01-8500		Cab To Module Sliding Walk-Thru Door	1
15-02-0000		Standard Perko Body Intake And Exhaust Vents (3-STD)	1
15-02-1500		1 Piece Stainless Steel Wheel Well Trim Rings	1
15-02-2600	<	Standard Cast Fuel Fill Housing (C4500 Highliner Body) Mounted On The Streetside Of The Module Body.	1
15-DL-9900		C4500 Highliner Lowered Front Body Skirts *** MODULE DOORS AND WINDOWS ***	1 1
20-00-0100	<	2 Red Reflectors On Each Module Entry Door One Mounted At The Top And One Mounted At The Bottom.	1
20-00-0500	<	Combination Extruded/Pan Formed Module Entry Doors With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates.	1
20-01-0000	<	Full Height Side Entry Door With Gas Style Hold-Open Position The Hold-Open At 90 Degrees. 27" Wide Pass-Thru Width.	1
20-01-1000		Side Entry Door Threshold With Non-Slip Tape	1
20-01-2500	< >	Sliding Side Entry Door Window (Standard Tint) Sliding Window With Screen.	1
20-01-4000		Rear Doors With Grabber Style Hold-Opens	1
20-01-5000	>	Fixed Rear Entry Door Windows (Standard Tint)	1
20-01-9000	<	Delete Exterior Assist Rail On Side Or Rear Entry Doors (Ea) Specify Deletion Location:Side And Rear Entry Doors.	3
20-02-0000		Tri-Mark 30-8 Door Latches With Non-Slip Tape	1
20-02-2000	< >	Secondary Rear Door Exterior Latch IATS Option Includes Both Inner And Outer Latches.	1
20-02-2500		Shielded Cable Activated Module/Compartment Door Latches	1
20-02-3500		Cage Nuts On All Door Panels	1
20-02-4000		Polished Diamond Plate Lower Module Entry Door Trim Panels	1
20-02-6000	< >	Diamond Plate Side Entry Door Stepwell W/Sealed Seam Edges Double Step Area.	1
20-03-0000	< >	Window In Side Of Body (Standard Tint) Streetside Module Location.	1

PART NO	S	DESCRIPTION	QTY
20-03-0000	< >	Window In Side Of Body (Standard Tint) Curbside Module Location.	1
20-03-3000	< >	Two Section Privacy Panel With Marker Board Streetside Module Location.	1
20-03-3000	< >	Two Section Privacy Panel With Marker Board Curbside Module Location.	1
*** EXTERIOR COMPARTMENTS ***			1
25-00-0100	<	SPECIAL NOTE TO DEALER Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
25-00-0200	<	2 Red Reflectors On Each Full Height Compartment Door One Mounted At The Top And One Mounted At The Bottom.  One Reflector Mounted On Each Standard Height Compartment Door.	1
25-00-0500	<	Combination Extruded/Pan Formed Compartment Doors With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted.  Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door Opening. Does Not Include Doors That May Hit Other Compartment Doors.	1
25-00-0600		Polished Diamond Plate Exterior Compartment Door Panels	1
25-01-0000		Magnetic Compartment Door Switches	1
25-01-1000		Polyurethane Compartment Lining-Standard Gray	1
25-01-2500	<	Standard Surface Mounted Compartment Lights Note To Dealer: Compartment Design And Dimensions May Dictate The Use Of Recessed Lights ILOS To Allow For Adequate Lighting In The Compartment.	1
25-01-3300		Stainless Steel Compartment Vents	1
25-10-5100	< >	Delete 171" Highliner Curbside Front Backboard Compartment Specify Alternate Backboard Compartment:P-4 Compartment.	1
25-10-7100	< >	Move Highliner IS/OS And Side Entry Door Forward 20" Pass-Thru P-1 IS/OS Compartment.	1
25-10-8500	< >	Aluminum Adjustable IS/OS Compartment Shelf (Ea) Smooth Aluminum Shelves With 3/4" Lips.	2

PART NO	S	DESCRIPTION	QTY
		Includes Rubber Mat.	
25-10-9000		Cabinet Liner Lined Walls In The IS/OS Compartment	1
25-11-1600	S < >	171" Highliner Curbside Rear Backboard Compartment Includes Fixed Vertical Divider Only ILOS. Install The Vertical Divider Under The Notch Out Section. Upper Right Section Is Blocked Off To The Exterior Due To Interior Cabinet Design. P-4 Compartment.	1
		Includes Small Compartment Behind The Wheel Well Area. P-3 Compartment.	
25-11-2000	<	171" Highliner Streetside Front Full Height Oxygen Comp D-1 Compartment.	1
25-11-2500	<	171" Highliner Streetside Double Door Intermediate Comp D-2 Compartment.	1
25-11-5600	S <	3/4 Height Single Door Streetside Rear Compartment Plate Wall #2 For Future SCBA Brackets. (Upper Section ONLY Due To The Split Depth Design). D-3 Compartment.	1
25-11-8000	<	Diamond Plate Adjustable Shelf W/ Ribbed Rubber Matting (Ea) Diamond Plate With Standard 2" Lips. Specify Compartment: (1) D-2 Compartment. (1) D-3 Compartment Lower 2/3 Section.	2
25-12-1000	<	Fixed .125" Rhino Covered Aluminum Vertical Divider (Ea) Specify Compartment: (1) D-1 Compartment Left Side Of The Oxygen Tank Bracket.	1
25-13-6500	<	Split Level Compartment Depth Design (Ea) Specify Compartment: (1) D-3 Compartment Upper Section Above The 39" Level To Be 10" Deep ILOS.	1
		*** REAR STEP AND BUMPER ASSEMBLY ***	1
30-01-0500	< >	STD Rear Bumper With Rubber Dock Option Standard Rear Bumper With Rubber Dock Bumper Option. Includes Standard Reinforced Corner Angle Supports.	1
30-01-3500	>	Full Width Diamond Plate Rear Kick Plate	1

PART NO	S	DESCRIPTION	QTY
*** IMPACT RAILS, STONE SHIELDS AND RUNNING BOARDS ***			1
35-01-0000	<	One Piece Body Side Panels With Lower Impact Rails Includes Lower Impact Rails Only.	1
35-01-4500	>	Curbside Diamond Plate Cab Step For Highliner Body	1
35-01-5500	>	Streetside Diamond Plate Cab Step For Highliner Body	1
35-01-7100	<	LED Running Board Lights (Pr) Install Wes-Garde 4" LED Dialight Lights With Stainless Trim Rings.	1
35-01-7500		Rear Mud Flaps With Metal Stabilizers	1
35-01-9000		Stainless Steel Compartment And Entry Door Sill Plates	1
35-02-2500	<	36" High Front Stone Guards With Sealed Top Edge.	1
*** ELECTRICAL SYSTEM ***			1
40-00-0500	>	T.S.T. PDC-750 Electrical System	1
40-01-0300	< >	Add Second Rear Switch Panel Specify Mounting Location: (1) Angled Cabinet Below The Head End Of Bandage Cabinet.	1
40-01-2000	<	Reverse Activated Alarm With Momentary Auto Reset Switch ECCO #575 Alarm.	1
40-01-4500	< >	Ejector Type Shoreline - 20 Amp Specify Location: Mounted Above The D-2 Compartment. Specify Inlet Cover Color: White.	1
SPECIAL NOTE ABOUT 115 VOLT CURRENT DRAW (AMPS) This Unit Has A 20 Amp Shoreline Inlet That At A Capacity Rating Of 125% Has A Maximum Amperage Load Of 16 Amps. This Unit As Ordered Has A Total 115 Volt Amp Draw Of 12 Amps. This Leaves A Reserve Of 4 Amps For Interior Outlets. This DOES NOT Include Any Customer/Dealer Installed Equipment.			
40-01-6000	< >	Super Auto Eject Shoreline - 30 Amp (Version II Inlet) Includes Yellow Inlet Cover ONLY. Specify Location: Above D-2 Next To Std. Outlet.	1
SPECIAL NOTE ABOUT 115 VOLT CURRENT DRAW (AMPS) This Unit Has A 30 Amp Shoreline Inlet That At A Capacity Rating Of 125% Has A Maximum Amperage Load Of 24 Amps. This Unit As Ordered Has A Total 115 Volt Amp Draw Of ** Amps. This Leaves A Reserve Of ** Amps For Interior Outlets. This DOES NOT Include Any Customer/Dealer Installed Equipment.			
NOTE: This Shoreline Is For The 12/115 Combo Hoseline Heat/AC Unit.			

PART NO	S	DESCRIPTION	QTY
		NOTE: Label This Shoreline For Heat/AC.	
40-01-6900	<	**FACTORY USE ONLY** Shoreline Inlet Adapter Plug Present.	2
40-02-3500	< >	Vanner 20-1050 CUL 1000W Inverter/Charger With Display Mount The Unit In The Base Of The Electrical Cabinet. Mount The Remote Displays In The Streetside Action Area.	1
40-03-1000	<	Action Area Cigarette Style 12 Volt Outlet Full Time Hot Circuit.	1
40-03-3000	<	R.F.S. Cabinet Cigarette Style 12 Volt Outlet Mounted In The Upper Section On Wall #1. Full Time Hot Circuit.	1
40-03-5500	< >	Add Cigarette Style 12 Volt Outlet (Ea) Full Time Hot Circuit. Specify Location: (1) Right Side Of The Drawer At The Head End Of The Squad Bench.	1
40-03-6000		Action Area 115 Volt Outlet	1
40-03-7000	<	R.F.S. Cabinet 115 Volt Outlet Mounted In The Upper Section On Wall #1.	1
40-04-1000		Engine Block Heater (Standard Diesel Chassis Only)	1
40-04-4500	< >	Power Door Lock (Ea) Door Locks Are Wired Thru The O.E.M. Door Lock Switches. Door Locks Are Thermally Protected With Pulsed Signals. Specify Compartment Location:P-1,P-2,R-1 Doors.	3
40-04-5500		Hidden Switch In Grille For Power Door Locks (Unlock Only)	1
40-04-7000	<	Interior Body Switch For Power Door Locks (Ea) Specify Location: (1) Right Side Wall Near The Side Entry Door.	1
		*** INTERIOR LIGHTING ***	1
45-01-0000		Oxygen Compartment Light	1
45-01-0500		Side Entry Door Stepwell Light	1
45-01-1600	<	8 Weldon Ceiling Lights (Factory Use Only) 4-Curbside Mounted Above The Edge Of The Squad Bench. Like Unit #235407H.	1
		4-Streetside Mounted In The Standard Location.	

PART NO	S	DESCRIPTION	QTY
45-01-3500	S <	18" Fluorescent Action Area Light Wired Thru The Rear Switch Panels ILOS.	1
45-01-7500	< >	4 - 12 Volt Fluorescent Lights Down Center Strip W/Timer With Standard R.F.S. Cabinet Switch Location. Mount Timer At The Head End Of The Squad Bench. (Wire Circuit Full Time Hot).	1
45-01-7700	S <	Add Switch For Fluorescent Ceiling Lights Specify Second Switch Location: (1) Front Floor Console.	1
*** EXTERIOR LIGHTING ***			1
50-01-0000	< >	Whelen 600 Series "LED" Stop/Tail Lights (Pr) Use Whelen #60R00XRR Lights (Exceeds SAE Requirements). Mounted Above The Rear Kick Plate.	1
50-01-6000	< >	Whelen 600 Series "LED" Populated Amber Turn Lights (Pr) Mounted Above The Rear 600 Series Back-Up Lights. Wire To Flash Sequentially In The Direction Of The Arrow.	1
50-02-9500	<	Whelen 600 Series Back-Up Lights (Pr) Mounted Above The Rear 600 Series LED Stop/Tail Lights. Deletes Standard License Plate Housing Back-Up Lights.	1
50-03-2000		Two Reverse Activated Whelen 900 Rear Load Lights	1
50-03-5500		Whelen 900 Side Scene Lights (Two Each Side)	1
50-03-9000		Right Side Scene Lights On With Open Side Entry Door	1
50-04-7500	>	Weldon #9186-1500-10R/20A "LED" ICC Marker Lights	1
50-04-7700		Add #0J10-1200-00 Stainless Guard W/Gasket To The ICC Lights	1
50-04-8100	S < >	Innovative Lighting Slimline Rear DOT/Brake Light Mid Sections To Be Wired Thru The Brake Light Circuit.	1
*** RADIO PROVISIONS AND AIR HORNS ***			1
55-01-9500	<	KE-794 Antenna Base With Coax ILOS Specify Termination Location: (1) Front Module Roof To The Front Floor Console.	1
55-02-1500	< >	KE-794 Module Roof Antenna Base/Coax (Ea) Specify Termination Location: (1) Rear Module Roof To The Curbside Switch Panel Area.	1

PART NO	S	DESCRIPTION	QTY
55-02-5500		< > Radio Pre-Wire Power And Ground Circuit (Ea) Specify Termination Location: (1) Front Floor Console.	1
*** SIRENS AND EMERGENCY LIGHTING ***			1
60-01-0500		> Signal SS741MG Magnum Siren System	1
60-01-7100		> C.P.I. SAD4308/SAP4308 Bumper Siren Speakers (C4500)	1
60-02-1000		< > 4 Whelen 900 Super "LED" Side Module Warning Lights Mount The Side Lights Inline. #90RB5FCR With Red/Blue LED And Clear Lens. KKK Flash Pattern.	1
60-02-4000		< 2 Whelen 900 Super "LED" Front Module Warning Lights #90RB5FCR With Red/Blue LED And Clear Lens. KKK Flash Pattern.	1
60-02-9100	S	< 1 Whelen 700 Super "LED" Clear Center Front Warning Light #70C02SCR With Clear LED And Clear Lens. KKK Flash Pattern.  NOTE TO DEALER: Because Of The Aux. AC Condenser On Front Module Wall, Light Must Be 700 Series Mounted Between The Wedges.	1
60-03-1500		< 2 Whelen 900 Super "LED" Rear Module Warning Lights #90RB5FCR With Red/Blue LED And Clear Lens. KKK Flash Pattern.	1
60-03-5000	S	< 1 Whelen 900 Super "LED" Center Rear Warning Light #90RB5FCR With Red/Blue LED And Clear Lens. KKK Flash Pattern.	1
60-04-7000		< 2 Whelen 700 Super "LED" Lower Fwd Facing Lights #70BR6FCR Blue/Red LED And Clear Lens. KKK Flash Pattern.	1
60-05-2500		< 2 Whelen 700 Super "LED" Intersection Lights #70BR6FCR Blue/Red LED And Clear Lens. KKK Flash Pattern.	1
60-06-6000		< 2 Whelen 700 Super "LED" Rear Wheel Well Lights #70BR6FCR Blue/Red LED And Clear Lens. KKK Flash Pattern.	1

PART NO	S	DESCRIPTION	QTY
60-10-2000	S	< > Whelen 900 Super "LED" Light (Ea) #90RB5FCR With Red/Blue LED And Clear Lens. KKK Flash Pattern.  Specify Location: (2) At Rear Window Level. (2) On Front Module Between Std. Warning Lights	4
*** PATIENT COMPARTMENT ***			1
65-00-9900	<	SPECIAL NOTE TO DEALER Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
65-01-0000	< >	Matte Finish Interior Formica Specify Color:Folkstone Grafix Matte #507-58.	1
65-01-3000	<	1/4" Clear Polycarbonate Sliding Doors On Cabinets Includes Smooth Finish Interior Trim.	1
65-01-5000	<	Seam Sealed Seat Cushions And Head/Back Cushion Areas Installed With Heavy Duty Velcro For Easy Removal For Cleaning. Specify Color:Sierra Dark Red #SIE-6526	1
65-01-5600	< >	Lonseal Floor Rolled 6" Up Side Walls (Highliner Body) Specify Color:LONCOIN FLECKS Carnelian #151 MANUFACTURER WARRANTY ONLY APPLIES.	1
65-01-6500	<	Welting Between Cabinet Sections Specify Color:Sierra Dark Red #SIE-6526	1
65-01-7000	<	Corian Counter Tops With 1" Lip & Accent Stripe Specify Main Counter Top Color:Dusk Specify Accent Stripe Color:Ruby  Special Note: The Front Counter Top Is Raised For The Drawer Area. Also See Option #65-DL-02.	1
65-02-1000	<	Stryker Dual Mount Cot Brackets Specify Cot:MX Pro Stop Block Will Be Shipped Loose Unless Otherwise Specified. DOES NOT INCLUDE COT UNLESS OTHERWISE SPECIFIED.	1

PART NO	S	DESCRIPTION	QTY
65-02-8000	<	L.R.O. Cabinet With Speed Load Door With Positive Lock Feature.	1
65-03-3500	<	Cabinet Above The Side Seat With Speed Load Door Custom Wide Section Cabinet With Fixed Center Divider. 8.5" Deep Cabinet Is Max. Depth Due To New Wire Routing. With Positive Lock Feature. See Drawings For Height Dimensions. Height Adjusted To Have 43" Between Bandage And Squad Bench Cushions.	1
65-03-7500	<	L.F.O. Cabinet With Speed Load Door With Positive Lock Feature.	1
65-04-2100	< >	Left Rear Base Cabinet W/Hinged Wood/Polycarbonate Doors Double Side Hinged Wood Doors With Vented Polycarbonate Inserts. Shallow Depth Cabinet ILOS. Includes One Adjustable Shelf.	1
65-04-6600		Delete Standard Telemetry Area Cabinet	1
65-04-8100	<	Delete Standard Lower Telemetry Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-04-8500	<	Action Area Cabinet With Sliding Polycarbonate Door See Drawings	1
65-05-4500	S <	Custom 72" Streetside Squad Bench ILOS Side Seat Area Includes 3 Sets Of Lap Seat Belts. Includes 3 Cot Restraints. See Drawings For Height Dimensions. Height Adjusted To Have 43" Between Bandage And Squad Bench Cushions.	1
65-05-7000	< >	Rear Facing Attendant Seat On Pedestal/Swivel Base High-Back Style Seat. Includes Lap Seat Belt.	1
65-06-3000	>	Streetside Aisle Electrical Cabinet And Door	1
65-06-9000	<	Cabinet Above The Walk-Thru With Hinged Wood Door Specify Hinge Side:Top	1
65-07-0000	<	Right Front Upper ALS Cabinet With Wood/Polycarbonate Doors Plywood Doors With Vented Polycarbonate Inserts.	1
65-07-3000	<	Right Front Lower ALS Cabinet With Wood/Polycarbonate Doors Plywood Doors With Vented Polycarbonate Inserts.	1
65-07-5300	<	Top R.F.S. Cabinet W/Top Hinged Wood Door ILOS Heat/AC	1

PART NO	S	DESCRIPTION	QTY
		Includes Gas Style Hold-Opens.	
65-08-0500	< >	Curbside Squad Bench With 1 Piece Lid And No Divider Includes 2 Sets Of Lap Seat Belts. See Drawings For Height Dimensions. Height Adjusted To Have 43" Between Bandage And Squad Bench Cushions.	1
65-08-2000		Delete Squad Bench Post/Wheel Cups	1
65-08-3000	S	> Highliner 171" Head Of Squad Bench Work Cabinet	1
65-08-6500	< >	Cabinet At The Foot End Of The Squad Bench Recessed In Behind The Bandage Cabinet. Hinged Plexiglass Door Opening Towards The Bandage Cabinet. Includes One Adjustable Shelf.	1
65-08-8500		Squad Bench Backrest Cushion	2
65-09-0500	S < >	One Section Bandage Cabinet With Speed Load Door Extend From The Rear Cabinet To The Angled Section. Front Section To Be Angled Towards The Removable Panel. With Positive Lock Feature. Specify Cabinet Depth:8" Deep See Drawings For Height Dimensions. Height Adjusted To Have 43" Between Bandage And Squad Bench Cushions.	1
65-09-6000	<	Recessed Glove Box Storage In Rear Door Cushion Area (Ea) Recessed Storage Box With Top Hinged Polycarbonate Door. Specify Number Of Box Cut-Outs:2 (Two).	2
		SPECIAL NOTE: Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10" Wide x 4" Deep Glove Box.	
65-09-8500		70" Long Formed Streetside Ceiling Grab Rail	1
65-09-9500		60" Long Formed Curbside Ceiling Grab Rail	1
65-10-1500		Formed "L" Door Assist Rails Mounted Inverted	1
65-10-2000	>	Formed Assist Rail At The Head End Of The Squad Bench	1
65-10-3000		Delete Formed Assist Rail On The Left Rear Wall	1
65-10-5000	<	Two C.P.I. #IV2008 Rubber Recessed IV Brackets Mounted In The Mid/Rear Cot Position.	1
65-10-9000		Southco M1 Stainless Cabinet Latches	1
65-11-3000	< >	Cabinet Drawer (Ea) Specify Cabinet Location: (1) Foot End Of The Curbside Squad Bench Cabinet. Drawer To Open Over The Squad Bench.  (1) In The Cabinet At The Head End Of The Curbside Squad Bench. Drawer To Open Over The Squad Bench. To Be 6" High.  (1) Head End Of The Streetside Squad Bench. Drawer To Open Over The Squad Bench.	3

PART NO	S	DESCRIPTION	QTY
65-11-9600	<	Lighted Trintec Clock Surface Mounted On Rear Head Cushion Clock Includes Life Line Logo. Clock Includes Lighting Feature.	1
65-12-4100	< >	Locking Cabinet Door With Simplex Push Button Lock Specify Cabinet Location: (1) Streetside Forward Drug Cabinet. (1) Top R.F.S. Cabinet (#65-07-53).	2
65-13-0600	< >	Squad Bench Recessed Drop-In Sharps/Waste Containers Recessed Under The Foot End Of The Streetside Squad Bench. Accessed By Lifting The Rear Squad Bench Lid. Lid Is Hinged Towards The Rear. Includes Gas Hold-Open On The Squad Bench Lid Section. #8970 Sharps Container.	1
65-13-1600	S < >	Slide Out Sharps Drawer Specify Cabinet Location: (1) Lower Aisle Side Of The Cabinet At The Head End Of The Curbside Squad Bench. Install #8970 Sharps Container.	1
65-13-6500		6" High Polished Scuff Protector On Left Wall	1
65-14-0000		6" High Polished Scuff Protector On Right Wall	1
65-CS-1000	S < >	Add Angled Cabinet For The Rear 750 Switch Panel Mounted At The Head End Of The Squad Bench Below The Bandage Cabinet.	1
65-DL-0100	S <	Custom Patient Compartment Option Custom Drop Down Drug Cabinet Mounted Under The Upper Cabinet At The Foot End Of The Curbside Squad Bench Area.  To Include Gas Positioner On Each End. Mc Master #6521K31 (Requires 2). Mc Master Ends #9416K86 (Requires 4). Austin #L8800SS90 Non-Locking Paddle Latch.	1
65-DL-0200	S <	Custom Patient Compartment Option Install A Counter Top On The Cabinet At The Head End Of The Curbside Squad Bench Area. Counter Top To Be Flat On The Top Without The Standard Lip Area. Counter Top To Have The Standard Accent Stripe.	1
65-DL-0300	S <	Custom Patient Compartment Option Install A Standard Counter Top Above The Drawer Area At The Foot End Of The Curbside Squad Bench Area. Make This Counter Top As Large As Possible For The Area.	1

PART NO	S	DESCRIPTION	QTY
65-DL-0400	S <	Custom Patient Compartment Option Install A Drug Cabinet At The Head End Of The Streetside Center Cabinet Area.	1
65-DL-0500	S <	Custom Patient Compartment Option Install Removable Radio Panel At The Head End Of The Curbside Bandage Cabinet Area.	1
*** PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS ***			1
70-01-0000		Static Module Fresh Air Intake Vent	1
70-01-1000		12 Volt Powered Exhaust Fan (Single Speed-750 System)	1
70-01-2100	< >	12/115 Combo Hoseline 3000 Series Rear Heat/AC Unit Specify Electronic Control Module Location: Bulkhead Electrical Storage Cabinet. Thermostat Mounted In The Action Area. Specify Compressor/Condenser Unit Assembly Location: Front Module Wall On Light Bar Pods.	1
**REQUIRES SEPARATE 30 AMP SHORELINE INLET IATS**			
Evaporator Unit In The Top R.F.S.			
NOTE: This Is To Be A Dual Condenser.			
70-01-3500		Move Heat/AC Unit To Over Walk-Thru Area	1
70-01-5500	S < >	Auxiliary 12 Volt /115 V A/C Condenser Hoseline BMC 1006DC	1
70-01-6000		2" Foam Insulation In Module Body/Floor/Doors (R-4)	1
70-01-6600	>	Automotive Grade Underbody And Chassis Undercoating	1
*** OXYGEN SYSTEM ***			1
75-01-0000		1 Ohio Style Action Area Oxygen Outlet	1
75-01-2000	>	1 Ohio Style Ceiling Mounted Oxygen Outlet	1
75-01-4000		1 Ohio Style Right Wall Mounted Oxygen Outlet	1
75-01-8000	>	Interior Oxygen Access/Viewing Door	1
75-01-8600	<	"M" Oxygen Tank Bracket In Streetside Front Compartment D-1 Compartment On Wall #2 Right Side.	1
*** SUCTION SYSTEM ***			1
80-01-0000		12 Volt Gast Suction Pump With Action Area Switch	1
80-01-1500	<	1 Ohio Style Action Area Suction Outlet Maintain For The SSCOR Suction Set.	1
80-01-7500	<	SSCOR 22000 Suction Unit W/22002 Disposable Trap Set	1

PART NO	S	DESCRIPTION	QTY
		Includes Flush Mounted Action Area Panel And Disposable Trap Set.	
		*** PAINT ***	1
85-00-0100	< >	Standard Dupont Imron Paint Process And Warranty Includes 3 Year Non Pro-Rated Dupont Paint Warranty.	1
85-00-0500	<	O.E.M. White Chassis Color Ship Loose Tube Of O.E.M. White Touch-Up Paint With The Unit.	1
85-01-1000	<	O.E.M. White Module Body Color Touch-Up Paint Is Included For Colored Module Body Stripes.	1
85-01-4500		Delete Standard Beltline Stripe	1
85-02-9500		Do Not Paint The Nader Pins/Install After Paint Process	1
85-03-2500	>	Delete Standard Edge Pinstripe	1
		*** EMBLEMS AND DECALS ***	1
90-01-0500		Install Roof "SOL" Decal Only (Delete All Other Decals)	1
90-01-1100	<	"NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab. 1-Installed In The Module.	1
90-01-1200		No Other Decals Or Lettering Included Unless Specified Below	1
90-01-3000		Install Life Line Demo Decals	1
	< >	*** DEALER SUPPLIED AND INSTALLED OPTIONS *** THIS SECTION IS FOR DEALER SUPPLIED AND INSTALLED OPTIONS AFTER DELIVERY FROM LIFE LINE.	1
		*** END OF QUOTE/PRODUCTION ORDER ***	1
95-SP-0100	<	1 Original & 1 Revision Work Order Before Penalty Pricing 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$75.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0200	<	1 Original & 1 Revision Drawing Before Penalty Pricing 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate Is \$75.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0600		Change After Sign-Off (Published Price + 50%)	1
95-SP-0700		Change After Production Start (Published Price + 75%)	1
95-SP-0800		Change After Production Completion (Published Price + 100%)	1
	<	*** SIGNATURE-LIFE LINE EMERGENCY VEHICLES *** This Is A Contract Soley Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The	1

